

Canon

imageFORCE
C611F/C611FZ
C521F/C521FZ
C431F/C431FZ
C331F/C331FZ

THE POWER OF NEXT



- Compact Color Multifunction Printer
- Prints up to 65 ppm (BW/Color, Letter)
- Scans up to 200 ipm (300 dpi BW/Color Duplex)
- Up to 2,300 Sheet Maximum Paper Capacity
- Supports Paper Sizes up to 8-1/2" x 14" (Legal Size)

imageFORCE C611F

THE POWER OF NEXT

To push the boundaries of what's possible, you must be bold. **The Power of Next** represents Canon's latest phase of ambitious and advanced print innovation with the extensive line-up of imageFORCE technology. This highly productive lineup is designed to help you **print better, do more**, and **stay ahead** in today's digital workplace. Backed by a strong commitment to the *Kyosei* philosophy—which promotes living and working together for the common good—Canon ushers in a new era of print.

imageFORCE C611 SERIES

Canon's imageFORCE C611 Series is designed to deliver brilliant, high-speed, high-quality color printing in a compact multifunction design great for organizations that need reliable performance in space-conscious environments. Built on Canon's trusted imageFORCE platform, these models combine powerful functionality with a smaller footprint, supporting paper sizes up to 8½" x 14", making them a great solution for busy workgroups and modern offices where space is at a premium.

Performance for Any Pace



65 ppm

Optimal for busy workgroups requiring fast, reliable printing and scanning in a compact footprint.



55 ppm

Best suited for teams that need dependable, high-quality printing and scanning without compromising space.



45 ppm

Designed for teams with everyday printing needs, delivering reliable printing and scanning.



34 ppm

Ideal for smaller workspaces with typical color print and scan requirements.



PRINT BETTER

Produce high-quality output with vivid color, sharp text, and the consistent reliability of Canon technology.

BRILLIANT QUALITY AND RELIABILITY



Proven Canon Reliability

Engineered with Canon's renowned technology to provide consistent performance, help reduce downtime, and minimize the impact on support resources.



Outstanding Image Quality

Advanced imaging technology and high-quality toner deliver vivid, high impact color output.



Maximized Uptime

Designed to help support continuous productivity with real-time status alerts, easy supply replenishment, and step-by-step maintenance videos for quick consumables replacement.



High-Speed Precision with Stunning Clarity

To help achieve outstanding up to 1200 dpi (equivalent) image quality at high engine speeds, the system increases laser exposure frequency—so that your prints can be sharp, detailed, and vibrant.



Help Expand Print Efficiency With Workflow Solutions

Manage tasks, track costs, and print and scan all on one platform with the optional uniFLOW Online solution, a powerful cloud-based solution that helps to reduce IT workload and adds flexibility to your print environment.

DO MORE

INTUITIVE WORKFLOWS FOR EVERYDAY USE

Help elevate daily efficiency with seamless workflows, simple and intuitive print technology, integrated solutions, and flexible media handling.



SIMPLE USER INTERFACE


Each model within the imageFORCE line-up supports a consistent user interface, enabling operators to effortlessly run the device with a minimal learning curve.

- Large 10.1" responsive and intuitive touchscreen.
- Familiar interface with icons categorized by color.
- Easy customization settings for language, accessibility, and display preferences.


WORKFLOW EFFICIENCY

- Supports mobile solutions and integration with various cloud services like Google Drive.
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and select third-party software with embedded application platform.
- Easily scan to, and print from, various cloud services or email directly from the device User Interface.¹

VERSATILE PRINT APPLICATIONS



Postcards



Flyers



Envelopes



Business cards



CLOUD READY SOLUTIONS

Canon's imageFORCE systems have the ability to integrate seamlessly with a range of powerful Canon and third-party software to help your workflow evolve. For example, you can easily print and scan to—and from—your favorite cloud storage services with Cloud Connector.¹



GAIN CONTROL OF YOUR FLEET

Centralize the management of your print fleet and help maximize uptime with the support of imageWARE Enterprise Management Console. imageWARE Enterprise Management Console helps to monitor device status and consumables, apply security settings, update firmware, capture meter readings, and much more—virtually anytime and anywhere.



HASSLE-FREE SETUP AND MAINTENANCE

Canon U.S.A.'s range of Smart Services are designed to help support you at every stage of the device management life cycle. Benefits include:

- Setting up and deploying your devices quickly.
- Enabling proactive service and fast issue resolution.
- Access upgrades and replace parts with ease.



PRINTING THAT PERFORMS. SCANNING THAT DELIVERS.

Performance doesn't need to stop at print. Scan speeds of up to 200 images per minute. Scan full-color documents quickly and accurately at single-pass duplex scan speeds. Whether you're digitizing reports, ID cards, or media files, you can capture clean, high-resolution scans that integrate seamlessly into your digital workflows.

STAY AHEAD

FUTURE-READY. SECURITY-FOCUSED. LOW-IMPACT DESIGN.

Make the move forward with cutting-edge print technology that is built to help your organization be more productive, and more prepared for the unexpected.

SECURITY FEATURES DESIGNED TO HELP SAFEGUARD YOUR INFRASTRUCTURE

Implement security features designed with the modern workplace in mind. These include:



Security Environment Estimation Feature:
Recommends security settings based on the device's operating environment.



Verify System at Startup²: At device start-up, helps to verify that the boot process, firmware, and applications have not been altered or tampered with. Includes automatic recovery of boot process.



FIPS 140-3 Storage Encryption:
A U.S. government standard for cryptographic modules, supporting data encryption and security in hardware and software systems.



SIEM Integration³: The ability to integrate your print devices into your compatible security and event monitoring strategy.



Trellix™ Embedded Control²:
Utilizes whitelisting to help prevent execution of unrecognized malware or tampering of existing firmware/applications.



Control Access: Provides flexible authentication methods for PIN, username/password, or badge authentication accessibility, and display preferences.



CANON'S FUTURE-READY UNIFIED FIRMWARE PLATFORM

With Canon's Unified Firmware Platform (UFP), a common source code for firmware development embedded within the imageFORCE products, your device can benefit from regular updates—including additional functionality to existing models—and the latest features.



BUILT WITH SUSTAINABILITY FEATURES

From product design to power use, Canon's commitment to the environment can be seen with the imageFORCE series of printers. Features include:

Low Energy Consumption: A combination of highly efficient fusing technologies and low-melting-point toner helps to minimize power requirements and achieve low energy consumption.

Cardboard Packaging⁴: Canon has reduced its use of plastic materials by switching from conventional foam packaging to interior cardboard packaging materials for the main unit—a material that is widely recyclable.

Prestigious Certifications: ENERGY STAR® certified and rated EPEAT Gold.

CONFIGURATION OPTIONS

imageFORCE
C611F / C611FZ
C521F / C521FZ
C431F / C431FZ
C331F / C331FZ

imageFORCE C611F (Non-Finisher Model)



imageFORCE C611FZ* (Finisher Model)




Cassette Feeding Unit-BA1**

- 550 sheets capacity
- Supports up to Legal sized paper
- Supports 16 lb. Bond to 60 lb. Cover



Cassette Module-AL1***

- 550 sheets capacity
- Supports up to Legal sized paper
- Supports 16 lb. Bond to 60 lb. Cover



Cabinet Type-Z^

- Floor Standing Option
- Weight: 31.7 lbs. (14.4 kg)
- Dimensions (W x D x H): 25.8" x 25.3" x 14" (657 mm x 642 mm x 355 mm)

* Finisher cannot be added after purchase.

** Cassette Feeding Unit-BA1 is required to add Cassette Module-AL1 to FZ model.

*** Up to 2 Cassette Module-AL1 can be added to F or FZ models.

• When configured with Cabinet Type-Z, the F Model supports a maximum of two (2) additional Cassette Module-AL1 units. No additional cassettes can be added to the FZ Model when using Cabinet Type-Z.

PRINTER SPECIFICATIONS

imageFORCE C611F / C611FZ C521F / C521FZ C431F / C431FZ C331F / C331FZ

Main Unit

Technology/Type	Laser/A4 Color Multifunctional
Core Functions	Print, Copy, Scan, Send, Store and Fax
Print/Copy Speed (BW and Color)	imageFORCE C611F/C611FZ Up to 65 ppm (Letter) Up to 51 ppm (Legal) imageFORCE C521F/C521FZ Up to 55 ppm (Letter) Up to 44 ppm (Legal) imageFORCE C431F/C431FZ Up to 45 ppm (Letter) Up to 36 ppm (Legal) imageFORCE C331F/C331FZ Up to 34 ppm (Letter) Up to 29 ppm (Legal)
Scan Speed (Letter)	Send (300 x 300 dpi): Automatic Color Select "OFF": Single-Sided Scanning: 100 ipm Double-Sided Scanning: 200 Automatic Color Select "ON": Single-Sided Scanning: 50 ipm Double-Sided Scanning: 100 ipm Copy: Scan Speed Priority (300x600 dpi) Single-Sided Scanning: 50 ipm Double-Sided Scanning: 100 ipm Image Quality Priority (600x600 dpi) Single-Sided Scanning: 30 ipm Double-Sided Scanning: 50 ipm
Memory	4.5 GB RAM
Solid-State Drive	Standard: 256 GB
Warm-up Time	Quick Startup Mode: Approx. 4 Seconds ⁵ From Power On: Approx. 10 Seconds ⁶ From Sleep Mode: Approx. 10 Seconds
Paper Capacity (Letter, 20 lb. Bond)	Standard: 650 Sheets Maximum: 2,300 Sheets
Supported Media Types	Multi-Purpose Tray: Thin, Plain, Recycled, Color, Heavy, Bond, Transparency, Label, Letterhead, Envelope Paper Cassette: Thin, Plain, Recycled, Color, Heavy, Bond, Label, Pre-Punched, Letterhead
Supported Media Sizes	Multi-Purpose Tray: Legal, Letter, Executive, Statement Custom Size (3" x 5" to 8-1/2" x 14") Envelopes: [COM10 (No.10), Monarch, DL, ISO-C5] Paper Cassette: Legal, Letter, Executive, Statement Custom Size: 4" x 5-7/8" to 8-1/2" x 14"
Supported Media Weights	Multi-Purpose Tray: 16 lb bond to 79 lb cover (60 to 216 gsm) Paper Cassette: 16 lb bond to 60 lb cover (60 to 163 gsm) Duplex: 16 lb bond to 60 lb cover (60 to 163 gsm)
Dimensions (W x D x H)	Non-Finisher Model: 19-3/4" x 24-3/8" x 25-3/8" (500 x 620 x 645 mm) Finisher Model: 19-3/4" x 24-3/8" x 33-1/4" (500 x 620 x 843 mm)
Weight	Non-Finisher Model: Approx. 103.6 lb (47 kg) ⁷ Finisher Model: Approx. 121.3 lb (55 kg) ⁷
Environmental Standards	ENERGY STAR® certified EPEAT Gold

¹ Requires one Cloud Connector term license per destination per device (each term license sold separately), Internet connection, email service account, PC or mobile device, an account with one of the compatible cloud services (if connecting to one of the available Cloud Connector cloud destinations), and a compatible Canon MFP.

² This feature is off by default and must be turned on by the administrator. Warm up times are affected once turned on.

³ Third-party SIEM system required. Subject to third-party SIEM system terms and conditions. Canon cannot ensure compatibility with all third-party SIEM systems.

⁴ Not available at launch.

⁵ Time from device power-on to when the copy icon appears and is enabled to operate on the touch panel display.

⁶ Time from device power on, until copy ready (not print reservation).

⁷ Including regular toner.

WHAT WILL YOU CREATE WITH THE POWER OF NEXT?



Canon

Trellix

CANON
GENUINE
TONER, CARTRIDGE
& PARTS



usa.canon.com/business

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has certified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageFORCE, imagePASS, and the GENUINE logo are registered trademarks or trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of its security features or recommendations will prevent security issues. Customers should perform their own due diligence and consult with their security expert to determine what security features to implement for their organization. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Some security features may impact functionality/performance; you may want to test these settings in your environment. Trellix and the Trellix logo are trademarks or registered trademarks of Musarubra US LLC or its subsidiaries in the U.S. and other countries. All other referenced product names and marks are trademarks of their respective owners. All printer output images are simulated. All features presented in this brochure may not apply to all Series and/or products and may be optional; please check with your Canon Authorized Representative for details. Products shown with optional accessories. Subscription to a third-party cloud service required. Subject to third-party cloud service providers terms and conditions. uniFLOW is a registered trademark of NT-ware Systemprogrammierung GmbH. Canon U.S.A. does not provide legal counsel or regulatory compliance consultancy, including without limitation, Sarbanes-Oxley, HIPAA, GLBA, Check 21, or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.

©2026 Canon U.S.A., Inc. All rights reserved.

05/26-1014-13845